
Introducing the Elecraft KX3:

An All-Band, All-Mode Ultraportable Transceiver












K3/KX1 Hybrid = KX3

- K3-style user interface
- Many K3 operating features
- KX1 form-factor: controls on top
 plus new fold-up rear tilt-feet
- Ultra-light: 18 oz. less batteries
- 3.5"H x 7.5"W x 1.7"D









ELECRAFT

KX3 Basics

- 160-6 meters
- SSB/CW/AM/FM/DATA
- 10 W+ (100 W+ with companion amp)
- Optional internal ATU, 8-cell battery pack with NiMH charger, attached paddle
- Built-in speaker







SDR (with a twist)


- Full user interface (PC optional)
- Narrow roofing filter module
- 32-bit floating-point DSP
- NR, NB, notch, dual watch, stereo effects
- Receive I/Q outputs for SDR/PC apps



Ultra Portable/Mobile

- Everything built in but the antenna
- RX current drain as low as 150 mA
- Backpack-resistant power-on control
- Small enough to use hand-held
- Mobile mount
- MH3 mic with UP/DOWN controls







Great for new hams, new HF users

- Operating manual tells how and why
- Easy-to-use controls; large display
- Simple menu system with Help display
- Add modules only if needed
- 1-click firmware upgrades via the web









